







Summer Image™
Operating Manual

TABLE OF CONTENTS

Press Release	3
Summer Image™ Basics	4
Client Consultation	6
Treatment Cycle	8
Safety Instructions	9
User Maintenance	10
T-Max Instructions	11
Frequently Asked Questions	12
Emergency & First Aid	15
Installation	16
Troubleshooting	19
Parts List	21
Preventative Maintenance	22
Warranty Registration	23



Press/News Release

For Immediate Release

Date:

UV FREE TANNING HAS ARRIVED!

(City and State) _____

(Salon Name/Address) _____

We are pleased to introduce the **Summer Image™** UV Free Tanning Booth to our salon location. The **Summer Image™** technology is UV free tanning at its best! This completely private, step-in vertical unit works by spraying a special blend of DHA and bronzing solution onto your body. The patented vertical spray system enables a streak free, natural looking tan over your complete body in only a few seconds. Typical results will last approximately 5 to 7 days. Repeat exposure at 24 hour intervals until you achieve the tan you desire.

The **Summer Image™** tan is great for everyone. If you are a current indoor tanner, be ready to take your tan to the next level! The **Summer Image™** is perfect for those individuals who prefer not to tan with UV light or have difficulties obtaining a natural looking tan. Have you ever needed that special glow prior to a special event? The **Summer Image™** is perfect for special occasions that you want to look extra special for (weddings, class reunions, parties, and more).

(Salon name) _____ would like to welcome you to step inside and try the **Summer Image™** at a special introductory rate – for a limited time only!





SUMMER IMAGE™ BASICS

The Concept

The concept of the **Summer Image™** was evolutionary – How could a popular treatment be made less time consuming for the client and less laborious for the operation? The obvious answer was to use a booth for the client's privacy and high-pressure valve spray system for speed of application. What started out as evolutionary became revolutionary when the **Summer Image™** was developed.

Summer Image™ Facts

Why it is the best?

- **Summer Image™** will give the client a rich golden tan in just seconds.
- With just the touch of a button, the client is misted with the highest quality self tanning solution.
- The **Summer Image™** delivers DHA, bronzers, and nourishing moisturizers of Vitamins A, E and C to give the skin a smooth healthy glow.
- Your clients will look and feel great in just seconds with the new **Summer Image™** technology.

Who is it for?

- Everyone, but especially ideal for hard to tan skin types. The 100% UV-Free process gives a beautiful tan that lasts from 4 to 7 days. The first application will produce a light to medium brown tan. A richer darker color can be obtained by simply repeating the process until the desired results have been achieved. Tanning sessions should be spaced at least 24 hours apart.

The **Summer Image™** uses new self-tanning technology that creates an even, brown-looking tan without the old fashioned and complicated applications of creams. The new **Summer Image™** solution is non-toxic.



How does it work?

The **Summer Image**™ system works on a brand new control system, quite simply, place the feed tube into the 5 gallon solution container and you will get approximately 140 sessions. With the automatic wash-down system you can concentrate on servicing the clients and not the machine! (There is still a need to wipe down the inside of the unit after each session.)

Do you have to turn around?

No, you do not have to turn around as the stationary spray jets cover the client. However, for best results, the client should raise their arms and legs for complete coverage.

Is it safe?

DHA has been safely used in the cosmetics industry for years.

Is it easy to clean?

The **Summer Image**™ is made only from stainless steel, you will find other units on the market are made of plastic, which can tarnish and stain very easily. The **Summer Image**™ system also has its very own automatic wash-down system, which as you can imagine saves staffing costs and once again human error of cleaning the unit down after every session properly and hygienically. (There is still a need to wipe down the inside of the unit after each session.)

Will I get the spray residue all over the salon?

No, some other units on the market are not self-contained, which of course, would result in residue build up all over your salon.

Does anyone have to use barrier cream?

No, it is not necessary to use barrier cream. You will also find generally all other units use barrier cream to cover up fingernails, dry skin areas and any other absorbent areas due to excessive staining of the skin. This can take up to 5 minutes each session. Very importantly, any excess barrier cream can cause white patches. Once the session has finished it is advised to lightly massage the body all over to penetrate the lotion further in to the skin and even out any residue. It is then recommended to wash the hands and feet to remove excess lotion eliminating the use of barrier cream.

How will the client dry off?

The client will lightly massage any unabsorbed lotion into their skin. A light towel dry completes the session.



CLIENT CONSULTATION

It is recommended that the first consultation last a minimum of 15 minutes. Every client must have an initial consultation to overcome any concerns and to fully understand how to achieve the best results from their treatment.

The following must be fully explained:

- How the **Summer Image™** booth works.
- Ingredients of the Tanning Solution.
- Preparation (refer client to leaflet Step 1).
- What to do during Treatment Cycle (see page 6).
- Post Tanning (refer client to leaflet Step 2).
- Caring for your tan (refer client to leaflet Step 3).

The Client Consultation Check List

- A) How does the Tanning Booth work?
 - During the session, 25 nozzles will spray you with mist solution. The mist will completely cover your body creating a natural reaction with the top layers of skin and producing a natural looking tan.
- B) Ingredients of the tanning solution:
 - DHA, bronzers, nourishing moisturizers, and Vitamins A, E and C.
- C) Best Results Preparation:
 - You should prime your skin for treatment by exfoliating and moisturizing the night before the session. (Moisturizing on the day will dilute the tan.)
 - Wax or shave at least 24 hours before visit, as this should reduce skin irritation.
 - Only wear comfortable clothes as the lotion may mark tight fitting garments.
 - Wear dark or older underwear, as the lotion will stain light nylon and silk.
 - Always tint eyelashes and eyebrows at least one full day before your visit to avoid possible discoloration by the lotion.
- D) Post Tanning Advice:
 - Leave your **Summer Image™** tan on for at least 3 hours, preferably overnight before showering or taking a bath. This gives your tan a chance to fully develop.
 - Avoid sitting on light colored furniture until you have showered or taken a bath as the lotion can cause discoloration.
 - Avoid strenuous exercise for at least 3 hours, as sweating can alter your results.
 - If when you shower, you see a brown color in the waste, this will only be surplus bronzing lotion being revealed.



E) Aftercare:

- Moisturize regularly to help maintain the tan.
- Avoid long hot baths and showers as these speeds up exfoliation.
- Pat your skin dry after a bath or shower as rubbing your skin may rub off your tan.
- Avoid swimming in pools, as the chlorine will bleach your tan.
- Exercise carefully to reduce sweating, as this will cause your tan to fade unevenly.

WARNING: *Clearly instruct and demonstrate to each client the movements that must be performed during the misting cycle. This is to ensure an even application of solution under the arms and onto the inner thighs. Failure to do this correctly will result in an uneven application and a DISSATISFIED CLIENT!!!*



THE TREATMENT CYCLE

What to do during the Treatment Cycle

- Operators must show the client the movements to be carried out in the Misting Chamber.
- For best results, wear no make-up, lotions, or perfumes. **Summer Image™** technology works best on clean taut skin.
- Remove contact lenses, jewelry and clothing.
- Put hair in shower cap; position it just on the hairline.
- Press the start button.
- Enter the Misting Chamber, face the clear glass shower door with your feet, shoulder width apart.

When Misting Begins

- Raise your left knee to the waist and lift both arms up into an oblong (O) above your head.
- Raise your right knee to the waist and lift both arms up into an oblong (O) above your head.
- Repeat steps 1 and 2 until session ends. **Failure to follow these movements will result in uneven application or streaking.**
- Once outside the unit, use your hands to spread the lotion to all the hard to reach areas such as the inside of the arms and legs and underneath your neck, breasts and buttocks.
- Remove and discard shower cap and dry off gently but thoroughly with a towel.
- Wipe the palms of your hands thoroughly with a mist towel, also wipe between fingers and toes and around the bottom of the feet, heels, and all of your fingernails and toenails.
- After dressing, wash palms of hands with warm soapy water or exfoliate.



IMPORTANT SAFETY INSTRUCTIONS

This appliance must be grounded. In the event of an electrical short-circuit grounding reduces the risk of electric shock by providing a path of low resistance for the electric current. This appliance is equipped with a cord having a grounding wire with a grounding plug. The plug must be plugged into an outlet that is properly installed and grounded in compliance with all local codes and ordinances.

DANGER – improper use of the grounding plug can result in a risk of electric shock. Check with a qualified electrician or service personnel if you are in doubt as to whether the product is properly grounded. Do not modify the plug provided with the appliance. If it will not fit the outlet, have a proper outlet installed by a qualified electrician.

If repair or replacement of the cord is necessary, do not connect the grounding wire to either flat blade terminal. The wire with insulation having an out surface that is green with or without yellow stripes is the grounding wire.

For a grounded cord – connected appliance rated less than 15 amperes and intended for use on a nominal 120-volt supply circuit:

This appliance is for use on a nominal 120-volt circuit and has a grounding plug. A temporary adapter may be used to connect this plug to a 2-pole receptacle if a properly grounded outlet is not available. The adapter should only be used until a properly grounded outlet can be installed. The green rigid ear or lug extending from the adapter must be connected to a permanent ground such as a properly grounded outlet box cover. Whenever the adapter is used, it must be held in place by the screw.

Extension Cords

If it is necessary to use an extension cord, use only a three-way extension cord that has a three-blade grounding plug and a three-slot receptacle that will accept the plug on the appliance. Always replace or repair a damaged cord.



USER MAINTENANCE INSTRUCTIONS

Your **Summer Image**™ Spray Booth has been designed to be virtually maintenance free. Since the only body parts that come in contact with the system are the bottoms of the feet and the palms of your hands, close attention should be paid to these areas on a daily basis. The floor can be wiped down with warm water and Lysol® (1 gallon water to 3 tablespoons Lysol®) or any other mild disinfectant solution you choose. The procedure should be performed after each use. The walls, ceiling and framework can be cleaned with any mild NON-ABRASIVE cleaner and a soft cloth. Stainless steel cleaner is also recommended.

IMPORTANT SAFETY INSTRUCTIONS

Clean the floor vent with a damp cloth only. Avoid excess cleaning fluid dripping through vent holes. Make sure floor is dry before next tanning customer enters the booth.

Daily Checks

1. **Switch On** all supplies for water and electricity to the booth.
2. **Ensure** that the booth has been washed down (using the **WASHDOWN** button) and that the floor areas in booth cubicles have been wiped dry.
3. **Open** the glass shower door and **wipe down** both sides of the glass door. Do not use a towel or similar device to dry down the walls of the Misting Chamber as the fluff may clog the spraying valves causing an incorrect application of tanning solution.
4. **Place** a new, clean mat on the cubicle/changing area floor.
5. **Check** that brown tanning solution is visible in the 5-gallon solution container located on the outside of the **Summer Image**™ Spray booth. If no solution is seen, replace empty container with a new container.
6. Level of solution must always be above the electric motor to insure the system does not lose its prime.
7. **Ensure** that there are sufficient: Shower Caps, Mats, Wet Wipes and Exfoliators (for cleaning the palms of the hands) available for the day.
8. **Ensure** that there are sufficient dry clean towels available for the day.

End of Day

1. Shut water supply OFF.



T-MAX INSTRUCTIONS

T-Max Timer Operation

T-Max timer is solid state in design, giving you years of accurate and reliable timer settings.

NOTE: It is beyond the scope of this manual to give complete instructions on timer operation, due to the many timer options available; therefore you should refer to the manual supplied with your particular T-Max timer installation to set up your timer for your individual needs.

T-Max Manual Timer Instructions (without a computer)

Setting the timer

- After each session, the T-Max digital timer will read “-”. To enter session time, simply press the Δ button until the desired time appears in the “window”.
- If you go past the desired time, press the ∇ button until the correct time is reached.

Starting the Summer Image

- Once time is entered, the Summer Image TM is activated by pushing the “START” button in the HT 9 Instant Booth
- When the customer is ready to start tanning, then enter spray chamber thru shower door, hold in button to start spray.

T-Max Timer Setting (with a computer)

Refer to the instructions given within your computer software manual or call your software company.



FREQUENTLY ASKED QUESTIONS


<u>Question</u>	<u>Answer</u>
How does the Summer Image™ tan the skin without the sun?	The active ingredient in the mist solution is DHA (DIHYDROXYACETONE) . DHA reacts with the proteins in the top layer of the skin to produce a tan and darkens your skin with repeated application.
Is this process safe?	It has been in use for over 30 years without any harmful effects reported and is government approved. Some people may experience allergic reactions to DHA along with temporary discomfort.
To maintain your tan how often would you need an appointment?	A good base tan lasts 4 to 7 days. Appointments should be repeated at least once a week to keep a golden tan. Exfoliation prior to the session yields the best results.
How long does the misting process take place?	Approximately 6 seconds, although individual salon settings will vary.
Will it stain my clothes?	It will stain silk and light colored nylon. However, it will wash out of cotton. It is recommended that loose, dark-colored clothing is worn on the day of treatment.
What are the features of the Summer Image™ unit?	The latest model of the Summer Image unit features 25 spray nozzles, with a maximum session length of approximately 6 seconds. The unit has 2 exhaust fans to remove excess mist, and a larger pump for better performance. Also, the unit features 4 wash-down nozzles along with 4 foot mister nozzles.






Operation of the T-Max Timer Control in Manual Mode

Step 1 – Delay Time Set



Press and hold
LEFT button until
delay time of 15
seconds is shown

Step 2– Starting Misting Session



Press START
button once. T-
Max will count
down from 15
seconds then
misting will begin

Note: Full stop after time indicates Changing Time Countdown. After 3 minutes has elapsed, T-Max changes to Treatment Time.



EMERGENCY AND FIRST AID PRECAUTIONS

Inhalation

Not expected to present a significant inhalation hazard under anticipated conditions or normal use.

Eye Contact

Not expected to present a significant eye contact hazard under anticipated conditions of normal use. Flush eyes thoroughly with water if needed, and see physician.

Skin Contact

Not expected to present a significant skin hazard under anticipated conditions of normal use. Wash with soap and water if needed. Persons with allergic reaction should avoid using the product.

Ingestion

No significant signs or symptoms indicative of any health hazard are expected to occur as a result of small amount of ingestion of the product. Do not induce vomiting. Rinse mouth with water. Consult physician if needed.

We recommend that you avoid wearing leather, silk, spandex, Lycra or other fine fabrics immediately after application. Warning – This product does not contain a sunscreen and does not protect against sunburn. Avoid spray going directly into eyes.



INSTALLATION

Salon Information, Requirements and Responsibilities

Included with the **Summer Image**™ system we provide component installation and training collateral for your salon. The salon is responsible for being prepared for the **Summer Image**™ system prior to its installation. The following are basic requirements and things that **MUST BE COMPLETED** prior to system installation arrival on-site:

- Dedicated room with minimum dimensions of 7' x 7' (84" x 84") with the ceiling a minimum of 8' high for unit only, empty and accessible.
- Electrical service (120 VAC outlet) 20 Amp Service with 4Plex Outlet or Duplex Outlet with Outlet Strip operational and properly located.
- For a unit with a changing room allow a minimum of 7' x 12" (84" x 144") of space with an 8' ceiling.
- Fresh water with shut off (cold) and drainage piping installed within 100' of the room and ready for use.
- Remote timer location (without changing room).
- Timer network wires or wall jack in room.
- Salon access from 7:00 am until normal salon closing hour.
- System shipment, unloading and storage.
- Time dedicated for proper system training of salon manager and employees.

Dedicated Room (For non dressing room units)

The **Summer Image**™ system should have a dedicated room for its use only. The room must be at a minimum of 7' x 7' (84" x 84"); slightly larger is always better. The room floor must be level and free of obstructions. Preferred floor cover is tile or linoleum, carpeted floors are not recommended. Overhead lighting is also required, the system is not provided with lights.

Electrical Service

The **Summer Image**™ unit requires a 120 VAC-20 Amp electrical service for operation. A standard 4Plex electrical outlet is sufficient for proper operation or a standard Duplex Outlet with Outlet Strip. Under no circumstances will installers be responsible for electrical service installation.



INSTALLATION – (CONTINUED)

Drain

A fresh water supply is required for booth sanitizing and wash-down after each tanning session. Cold-water service is required with a minimum of 40 pounds of pressure capable of 8 GPM. Water service needs to be equipped with an on/off valve located in the room with easy access. We recommend that water service to the **Summer Image**™ system be turned off each night. Although the system is fully self-contained, a drainpipe is required to remove wash-down water from the booth.

The **Summer Image**™ system is equipped with a fully automatic discharge pump for removal of wash-down water and excess solution. The discharge pump provided is capable of overcoming 70 ft. of head pressure or approximately 30 PSI. A minimum drainpipe inside diameter of 3/8" is required. Drainage should be directed to the sewer system. The unit utilizes 3/8 OD High Pressure Plastic Hose from the unit attaching to supply by a Quick-Connect fitting. The final connection will require a Quick-Connect fitting with 1/4" MIP being threaded into the customer supplied 1/4" FIP fitting with a shut-off valve.

In all installations, the installation must allow for complete drainage of the hose. All air and water pockets must be eliminated by having the hose, once it has started running downward, run level, or continuously downward. There must be no loops or "sags" in the hose that may trap water.

The automatic sump pump provided with the **Summer Image**™ unit turns on and checks for water approximately every 2½ minutes. During this "check", the pump runs for about one second and checks for resistance or "drag" against the impeller. If resistance (water) is found, it will run as long as water is present. When all of the water is pumped out, the pump shuts off and returns to its 2½ minute test cycle. The pump can be started at any time, however, by disconnecting it from the power source, waiting 6 seconds, and then reconnecting to the power source.

Summer Image™ is in no way responsible for the integrity of the hoses or piping installed for fresh water and drain service. Under no circumstances will installers be responsible for fresh water or drainpipe installation.

Note: In the existing salon a normal washing machine cold water supply drain can be accessed. The 3/8" lines will need to be pre-run before delivery (1 for cold water supply and 1 for wash down water drain).



INSTALLATION – (CONTINUED)

Remote Controller

The **Summer Image**™ system is provided with a remote T-Max Timer. This timer will enable you to operate the unit anywhere within the **Summer Image**™ room. The system is capable of operating with an existing T-Max Timer controller.

Note: If a changing room is used the remote timer will be mounted on the changing room wall of the **Summer Image**™ unit.

Salon Access

The **Summer Image**™ systems are typically installed and salon personnel trained in a single day. It is important that the unit arrives prior to the day of installation and that the installer has full and complete access to the salon. Because there is much to be accomplished in a single day, installation may need to start prior to the typical salon hours of operation. The installer and salon operator can determine actual hours for installation.

Have necessary staff members available on the day of installation for training. Training will last approximately one hour.

System Shipment, Unloading and Storage

Please have the appropriate personnel available for unloading. **DO NOT DEPEND ON THE TRUCK DRIVER OR DELIVERY PERSON TO UNLOAD OR ASSIST WITH UNLOADING THE BOXES.** Installers request that all boxes remain unopened and near or in the dedicated **Summer Image**™ room prior to installer's arrival. The **Summer Image**™ system is shipped on one large skid. The shipping skid is large and quite heavy, more than one person will be required to unload and store the system prior to installer's arrival.

In the event the box is opened prior to the installers arrive, **Summer Image**™ will not be responsible for damaged or missing parts. Note any apparent damage on the Bill of Lading prior to signing and accepting the shipment. Actual delivery dates and times may vary and are the responsibility of the **Summer Image**™. We will provide appropriate shipping information allowing you to track the shipment.



TROUBLESHOOTING

NO-POWER LIGHT WILL GO ON

- **Check** plug going into wall.
- **Check** circuit breaker electrical panel.
- **Check** reset button on control box.
- **Check** wire track to make sure all connections are tight. Unplug machine to check this.
- Time on T-Max must be set correctly.

NO FOOT SPRAY

- **Check** water coming into machine, make sure valve is open.
- **Check** timer in control box, It should be set for 3 seconds (make sure power is off when adjusting timer.)

NO WASH DOWN

- **Check** water supply into machine.
- **Check** timer in control box. (Power unit off.)
- **Check** wire track; unplug to check this.

NOT ENOUGH LOTION BEING APPLIED

- **Check** time on T-Max. Session time can vary by unit, depending on salon owner preference.
- **Check** container for solution.
- **Check** nozzles for clogging and clean as necessary.

TO MUCH LOTION BEING APPLIED

- **Check** time on T-Max. Session time can vary by unit, depending on salon owner preference.

TIME WILL NOT SET ON T-MAX

- **T-Max Problem - Check** to make sure there is current to T-Max.
- **Computer Problem** (Pull out T-Max instructions, "Trouble Shooting Guide").

SPRAY SOLUTION WILL NOT START

- **Check** solution container for lotion.
- **Check** nozzles for clogging and clean if necessary.
- **Check** power to booth.
- **Call** the distributor for service.



TROUBLESHOOTING – (CONTINUED)

SPRAY TIME IS NOT WORKING

- **Check** timer in control box, it should be set for 6 seconds. If is OK call the distributor for service.

TIMERS ARE NOT WORKING

- **Check** timers that are not working, just push in button on timer one at a time each will go through cycle.

WATER OVERFLOWING FROM DRAIN

- Sump pump is not plugged in.
- Unplug pump and remove plastic cover and screen on bottom of pump and clean out any debris. Place screen and cover and place it back into basin and plug in.
- Line from pump broke or bent.
- Pump needs replacing.

FANS DO NOT COME ON

- **Check** receptacle cord plugged into power strip on control box.
- **Check** circuit breaker on control box; reset if tripped.
- **Spray** anti-static lubricant into bearing on both sides of turbine if fan blade will not turn.

Fan Symptom	Possible Causes	Corrective Action
Excessive Noises	<ol style="list-style-type: none"> 1. Loose mounting screws 2. Debris in housing 3. Leak in ductwork 4. Loose ductwork 	<ol style="list-style-type: none"> 1. Tighten screws 2. Clean fan housing/blades 3. Repair/reseal 4. Secure properly
Insufficient Air Flow	<ol style="list-style-type: none"> 1. Leaks in ductwork 2. Dampers and/or registers closed 	<ol style="list-style-type: none"> 1. Repair/reseal 2. Open
Fan Fails to Operate	<ol style="list-style-type: none"> 1. Blown fuse or open circuit breaker 2. Defective motor 3. Automatic-reset thermal low protector tripped 	<ol style="list-style-type: none"> 1. Replace fuse or reset circuit breakers 2. Replace motor 3. Check for high or ambient temperatures in excess of 104°F (40°C)



PREVENTATIVE MAINTENANCE FOR Summer Image™

Sump Pump

- Remove strainer by pressing the two tabs and lifting the pump from the strainer base.
- Remove the screen.
- Remove all debris from both screen and cover and wash with clean water.
- Reassemble screen and plastic cover.
- **Repeat once a week.**

Blower Fans

- Remove plenums from sides of unit.
- Locate fan filter (inside the fan housing attached to a bracket, or possibly a one-piece "pull out" filter.)
- Remove filters and rinse with warm water.
- Unplug each blower fan and clean each housing with warm water to remove excess lotion build-up.
- Lubricate bearings on each side of the turbine with anti-static lubricant.
- **Repeat once a month.**

Spray Nozzles

- Clean nozzles using a soft bristle toothbrush. Scrub away lotion buildup and debris.
- Rinse off with warm water.
- Run warm water through the system periodically by replacing the solution container with a bucket of water to thoroughly clean the hoses and nozzles.
- **Repeat as needed.**

Solution Motor

- Add 3 drops of 3 IN 1® oil to both sides of the motor (remove small yellow stoppers).
- **Repeat once a year.**

Miscellaneous

- Turn off water supply at night incase of water supply leak.
- Turn off power supply at night incase of lightning storm.
- Once a week insert a Clorox® tablet into the basin at the opening by the sump pump. This will control odor and musty buildup.

IMPORTANT CONTACT NUMBERS

T-Max: 417-338-5101

Helios: 800-328-7637

Summer Image™: CALL THE DISTRIBUTOR



Summer Image™ Warranty Registration

Remove this page and mail to your distributor

Name of Purchaser/Salon _____

Date of Purchase _____

Address _____

City _____

State _____

Zip _____

Phone Number _____

Fax Number _____

Model Number _____

Serial Number _____

Name of Distributor _____

Address _____

City _____

State _____

Zip _____

Phone Number _____

Name of Contact _____

Comments/Description of Problem _____